

Exhibit 2
Pending Claims in Copending Applications

PENDING CLAIMS
Application No. 09/733,899
Attorney Docket No. 05725.0594-00000
Filed: December 12, 2000

1. (Withdrawn) A composition comprising at least one liquid fatty phase which comprises:
 - (i) at least one structuring polymer comprising:
a polymer skeleton which comprises at least one hydrocarbon-based repeating unit comprising at least one hetero atom; and
 - (ii) at least one film-forming silicone resin.
2. (Withdrawn) The composition according to claim 1, wherein said at least one structuring polymer further comprises at least one of:
 - at least one terminal fatty chain chosen from alkyl chains and alkenyl chains, wherein said at least one terminal fatty chain is bonded to said polymer skeleton via at least one linking group; and
 - at least one pendant fatty chain chosen from alkyl chains and alkenyl chains, wherein said at least one pendant fatty chain is bonded to said polymer skeleton via at least one linking group.
3. (Withdrawn) The composition according to claim 2, wherein said alkyl chains and said alkenyl chains each comprise at least four carbon atoms.
4. (Withdrawn) The composition according to claim 3, wherein said alkyl chains and said alkenyl chains each comprise from 8 to 120 carbon atoms.
5. (Withdrawn) The composition according to claim 4, wherein said alkyl chains and said alkenyl chains each comprise from 12 to 68 carbon atoms.
6. (Withdrawn) The composition according to claim 2, wherein said at least one linking group is chosen from single bonds and urea, urethane, thiourea, thiourethane, thioether, thioester, ester, ether and amine groups.
7. (Withdrawn) The composition according to claim 6, wherein said at least one linking group is an ester group present in a proportion ranging from 15% to 40% of the total number of all ester and hetero atom groups in the at least one structuring polymer.

8. (Withdrawn) The composition according to claim 7, wherein said at least one linking group is an ester group present in a proportion ranging from 20% to 35% of the total number of all ester and hetero atom groups in the at least one structuring polymer.

9. (Withdrawn) The composition according to claim 2, wherein said at least one terminal fatty chain is functionalized.

10. (Withdrawn) The composition according to claim 2, wherein said at least one pendant fatty chain is functionalized.

11. (Withdrawn) The composition according to claim 2, wherein in said at least one structuring polymer, the percentage of the total number of fatty chains ranges from 40% to 98% relative to the total number of all repeating units and fatty chains in the at least one structuring polymer.

12. (Withdrawn) The composition according to claim 11, wherein in said at least one structuring polymer, the percentage of the total number of fatty chains ranges from 50% to 95% relative to the total number of all repeating units and fatty chains in the at least one structuring polymer.

13. (Withdrawn) The composition according to claim 1, wherein said at least one structuring polymer has a weight-average molecular mass of less than 100,000.

14. (Withdrawn) The composition according to claim 13, wherein said at least one structuring polymer has a weight-average molecular mass of less than 50,000.

15. (Withdrawn) The composition according to claim 14, wherein said at least one structuring polymer has a weight-average molecular mass ranging from 1000 to 30,000.

16. (Withdrawn) The composition according to claim 15, wherein said at least one structuring polymer has a weight-average molecular mass ranging from 2000 to 20,000.

17. (Withdrawn) The composition according to claim 16, wherein said at least one structuring polymer has a weight-average molecular mass ranging from 2000 to 10,000.

18. (Withdrawn) The composition according to claim 1, wherein said at least one hydrocarbon based repeating unit comprises from 2 to 80 carbon atoms.

19. (Withdrawn) The composition according to claim 18, wherein said at least one hydrocarbon based repeating unit comprises from 2 to 60 carbon atoms.

20. (Withdrawn) The composition according to claim 1, wherein said at least one hydrocarbon based repeating unit is chosen from saturated and unsaturated hydrocarbon-based units which are chosen from linear hydrocarbon-based repeating units, branched hydrocarbon-based repeating units and cyclic hydrocarbon-based repeating units.

21. (Withdrawn) The composition according to claim 1, wherein said at least one hetero atom of said at least one hydrocarbon-based repeating unit is chosen from nitrogen, sulphur, and phosphorus.

22. (Withdrawn) The composition according to claim 21, wherein said at least one hetero atom is a nitrogen atom.

23. (Withdrawn) The composition according to claim 21, wherein said at least one hetero atom is combined with at least one atom chosen from oxygen and carbon to form a hetero atom group.


24. (Withdrawn) The composition according to claim 23, wherein said at least one hetero atom group further comprises a carbonyl group.

25. (Withdrawn) The composition according to claim 23, wherein said at least one hetero atom group is chosen from amide groups, carbamate groups, and urea groups.

26. (Withdrawn) The composition according to claim 25, wherein said at least one hetero atom group is an amide group and said polymer skeleton is a polyamide skeleton.

27. (Withdrawn) The composition according to claim 25, wherein said at least one hetero atom group is chosen from carbamate groups and urea groups and said polymer skeleton is chosen from a polyurethane skeleton, a polyurea skeleton and a polyurethane-polyurea skeleton.

28. (Withdrawn) The composition according to claim 1, wherein said at least one structuring polymer is chosen from polyamide polymers of formula (I):



in which:

- n is an integer which represents the number of amide units such that the number of ester groups present in said at least one polyamide polymer ranges from 10% to 50% of the total number of all ester groups and all amide groups comprised in said at least one polyamide polymer;

- R¹, which are identical or different, are each chosen from alkyl groups comprising at least 4 carbon atoms and alkenyl groups comprising at least 4 carbon atoms;

- R², which are identical or different, are each chosen from C₄ to C₄₂ hydrocarbon-based groups with the proviso that at least 50% of all R² are chosen from C₃₀ to C₄₂ hydrocarbon-based groups;

- R³, which are identical or different, are each chosen from organic groups comprising atoms chosen from carbon atoms, hydrogen atoms, oxygen atoms and nitrogen atoms, with the proviso that R³ comprises at least 2 carbon atoms; and

- R⁴, which are identical or different, are each chosen from hydrogen atoms, C₁ to C₁₀ alkyl groups and a direct bond to at least one group chosen from R³ and another R⁴ such that when said at least one group is chosen from another R⁴, the nitrogen atom to which both R³ and R⁴ are bonded forms part of a heterocyclic structure defined in part by R⁴-N-R³, with the proviso that at least 50% of all R⁴ are chosen from hydrogen atoms.

29. (Withdrawn) The composition according to claim 28, wherein in said formula (I), n is an integer ranging from 1 to 5.

30. (Withdrawn) The composition according to claim 29, wherein in said formula (I), n is an integer ranging from 3 to 5.

31. (Withdrawn) The composition according to claim 28, wherein in said formula (I), said alkyl groups of R¹ and said alkenyl groups of R¹ each independently comprise from 4 to 24 carbon atoms.

32. (Withdrawn) The composition according to claim 31, wherein in said formula (I), R^1 , which are identical or different, are each chosen from C_{12} to C_{22} alkyl groups.

33. (Withdrawn) The composition according to claim 32, wherein in said formula (I), R^1 , which are identical or different, are each chosen from C_{16} to C_{22} alkyl groups.

34. (Withdrawn) The composition according to claim 28, wherein in said formula (I), R^2 , which are identical or different, are each chosen from C_{10} to C_{42} hydrocarbon based groups with the proviso that at least 50% of all R^2 are chosen from C_{30} to C_{42} hydrocarbon based groups.

35. (Withdrawn) The composition according to claim 34, wherein at least 75% of all R^2 , which are identical or different, are chosen from C_{30} to C_{42} hydrocarbon based groups.

36. (Withdrawn) The composition according to claim 28, wherein in said formula (I), R^3 , which can be identical or different, are each chosen from C_2 to C_{36} hydrocarbon-based groups and polyoxyalkylene groups.

37. (Withdrawn) The composition according to claim 36, wherein R^3 , which can be identical or different, are each chosen from C_2 to C_{12} hydrocarbon-based groups.

38. (Withdrawn) The composition according to claim 37, wherein in said formula (I), R^4 , which can be identical or different, are each chosen from hydrogen atoms.

39. (Withdrawn) The composition according to claim 28, wherein said at least one polymer of formula (I) is in the form of a mixture of polymers, wherein said mixture optionally also comprises a compound of formula (I) wherein n is equal to zero.

40. (Withdrawn) The composition according to claim 1, wherein said at least one structuring polymer has a softening point greater than 50°C .

41. (Withdrawn) The composition according to claim 40, wherein said at least one structuring polymer has a softening point ranging from 65°C to 190°C .

42. (Withdrawn) The composition according to claim 41, wherein said at least one structuring polymer has a softening point ranging from 70°C to 130°C .

43. (Withdrawn) The composition according to claim 42, wherein said at least one structuring polymer has a softening point ranging from 80°C to 105°C.

44. (Withdrawn) The composition according to claim 1, wherein said at least one structuring polymer is present in the composition in an amount ranging from 0.5% to 80% by weight relative to the total weight of the composition.

45. (Withdrawn) The composition according to claim 44, wherein said at least one structuring polymer is present in the composition in an amount ranging from 2% to 60% by weight relative to the total weight of the composition.

46. (Withdrawn) The composition according to claim 45, wherein said at least one structuring polymer is present in the composition in an amount ranging from 5% to 40% by weight relative to the total weight of the composition.

47. (Withdrawn) The composition according to claim 1, wherein said composition has a hardness ranging from 30 to 300 g.

48. (Withdrawn) The composition according to claim 47, wherein said composition has a hardness ranging from 30 to 250 g.

49. (Withdrawn) The composition according to claim 48, wherein said composition has a hardness ranging from 30 to 200 g.

50. (Withdrawn) The composition according to claim 1, wherein said at least one liquid fatty phase of the composition comprises at least one oil.

51. (Withdrawn) The composition according to claim 50, wherein said at least one oil is chosen from at least one polar oil and at least one apolar oil.

52. (Withdrawn) The composition according to claim 51, wherein said at least one polar oil is chosen from:

- hydrocarbon-based plant oils with a high content of triglycerides comprising fatty acid esters of glycerol in which the fatty acids comprise chains having from 4 to 24 carbon atoms, said chains optionally being chosen from linear and branched, and saturated and unsaturated chains;

- synthetic oils or esters of formula R_5COOR_6 in which R_5 is chosen from linear and branched fatty acid residues comprising from 1 to 40 carbon atoms and $R_5 + R_6 \geq 10$;

- synthetic ethers containing from 10 to 40 carbon atoms;

- C₈ to C₂₆ fatty alcohols; and
- C₈ to C₂₆ fatty acids.

53. (Withdrawn) The composition according to claim 51, wherein said at least one apolar oil is chosen from:

- silicone oils chosen from volatile and non-volatile, linear and cyclic polydimethylsiloxanes that are liquid at room temperature;
- polydimethylsiloxanes comprising alkyl or alkoxy groups which are pendant and/or at the end of the silicone chain, the groups each containing from 2 to 24 carbon atoms;
- phenylsilicones; and
- hydrocarbons chosen from linear and branched, volatile and non-volatile hydrocarbons of synthetic and mineral origin.

54. (Withdrawn) The composition according to claim 1, wherein said at least one liquid fatty phase comprises at least one non-volatile oil.

55. (Withdrawn) The composition according to claim 54, wherein said at least one non-volatile oil is chosen from hydrocarbon-based oils of mineral, plant and synthetic origin, synthetic esters and ethers, and silicone oils.

56. (Withdrawn) The composition according to claim 1, wherein said at least one liquid fatty phase is present in an amount ranging from 1% to 99% by weight relative to the total weight of the composition.

57. (Withdrawn) The composition according to claim 56, wherein said at least one liquid fatty phase is present in an amount ranging from 5% to 95.5% by weight relative to the total weight of the composition.

58. (Withdrawn) The composition according to claim 57, wherein said at least one liquid fatty phase is present in an amount ranging from 10% to 80% by weight relative to the total weight of the composition.

59. (Withdrawn) The composition according to claim 58, wherein said at least one liquid fatty phase is present in an amount ranging from 20% to 75% by weight relative to the total weight of the composition.

60. (Withdrawn) The composition according to claim 1, wherein said at least one liquid fatty phase comprises at least one volatile solvent chosen from hydrocarbon-

based solvents and silicone solvents optionally comprising alkyl or alkoxy groups that are pendant or at the end of a silicone chain.

61. (Withdrawn) The composition according to claim 60, wherein said at least one volatile solvent is present in an amount up to 95.5% relative to the total weight of the composition.

62. (Withdrawn) The composition according to claim 61, wherein said at least one volatile solvent is present in an amount ranging from 2% to 75% relative to the total weight of the composition.

63. (Withdrawn) The composition according to claim 62, wherein said at least one volatile solvent is present in an amount ranging from 10% to 45% relative to the total weight of the composition.

64. (Withdrawn) The composition according to claim 1, wherein said composition further comprises at least one additional fatty material.

65. (Withdrawn) The composition according to claim 64, wherein said at least one additional fatty material is chosen from gums, fatty materials pasty at ambient temperature, and resins.

66. (Withdrawn) The composition according to claim 1, wherein said at least one film-forming silicone resin is chosen from silsesquioxanes and siloxysilicates.

67. (Withdrawn) The composition according to claim 66, wherein said silsesquioxanes comprise repeating units of $(\text{RSiO}_{3/2})_x$ where X is less than 2000.

68. (Withdrawn) The composition according to claim 67, wherein x is 500 or less.

69. (Withdrawn) The composition according to claim 66, wherein said silsesquioxanes are chosen from polymethylsilsesquioxanes comprising repeating units of formula $(\text{CH}_3\text{SiO}_{3/2})$.

70. (Withdrawn) The composition according to claim 66, wherein said siloxysilicates are chosen from trimethylsiloxysilicates.

71. (Withdrawn) The composition according to claim 70, wherein said trimethylsiloxysilicates comprise repeating units of $[(\text{CH}_3)_3\text{Si-O}]_x(\text{SiO}_{4/2})_y$, where x ranges from 50 to 80 and y ranges from 50 to 80.

72. (Withdrawn) The composition according to claim 69, wherein said polymethylsilsesquioxanes comprising repeating units of formula $(\text{CH}_3\text{SiO}_{3/2})$ further comprise up to 1% of polymerized repeating units of formula $(\text{CH}_3)_2\text{SiO}_{2/2}$.

73. (Withdrawn) The composition according to claim 1, wherein the at least one film-forming silicone resin comprises at least two units chosen from M, D, T, and Q and said at least two units satisfy the relationship $\text{R}_n\text{SiO}_{(4-n)/2}$ wherein n is a value ranging from 1.0 to 1.50.

74. (Withdrawn) The composition according to claim 73, wherein said at least one film-forming silicone resin is a solid at 25°C.

75. (Withdrawn) The composition according to claim 73, wherein said at least one film-forming silicone resin has a weight average molecular weight ranging from 1000 to 10000 grams/mole.

76. (Withdrawn) The composition according to claim 1, wherein said at least one film-forming silicone resin comprises repeating M units and repeating Q units.

77. (Withdrawn) The composition according to claim 76, wherein the ratio of M units to Q units is 0.7:1.

78. (Withdrawn) The composition according to claim 1, wherein said at least one film-forming silicone resin is present in the composition in an amount ranging from 1% to 10% by weight relative to the total weight of the composition.

79. (Withdrawn) The composition according to claim 1, wherein said composition further comprises at least one additional film-former.

80. (Withdrawn) The composition according to claim 1, wherein the composition is in a form chosen from a fluid anhydrous gel, rigid anhydrous gel, fluid simple emulsion, rigid simple emulsion, fluid multiple emulsion, and rigid multiple emulsion.

81. (Withdrawn) The composition according to claim 1, wherein said composition is a solid.

82. (Withdrawn) The composition according to claim 81, wherein said composition is a solid chosen from molded and poured sticks.

83. (Withdrawn) A composition comprising at least one liquid fatty phase which comprises:

(i) at least one structuring polymer, wherein said at least one structuring polymer is at least one polyamide polymer comprising:

a polymer skeleton which comprises at least one amide repeating unit;

and

(ii) at least one film-forming silicone resin.

84. (Withdrawn) The composition according to claim 83, wherein said at least one polyamide polymer further comprises at least one of:

at least one terminal fatty chain chosen from alkyl chains and alkenyl chains, wherein said at least one terminal fatty chain is bonded to said polymer skeleton via at least one linking group; and

at least one pendant fatty chain chosen from alkyl chains and alkenyl chains, wherein said at least one pendant fatty chain is bonded to said polymer skeleton via at least one linking group.

85. (Withdrawn) The composition according to claim 84, wherein said alkyl chains and said alkenyl chains each comprise at least four carbon atoms.

86. (Withdrawn) The composition according to claim 85, wherein said alkyl chains and said alkenyl chains each comprise from 8 to 120 carbon atoms.

87. (Withdrawn) The composition according to claim 86, wherein said alkyl chains and said alkenyl chains each comprise from 12 to 68 carbon atoms.

88. (Withdrawn) The composition according to claim 84, wherein said at least one linking group is chosen from single bonds and urea, urethane, thiourea, thiourethane, thioether, thioester, ester, ether and amine groups.

89. (Withdrawn) The composition according to claim 88, wherein said at least one linking group is an ester group present in a proportion ranging from 15% to 40% of the total number of all ester and amide groups in the at least one polyamide polymer.

90. (Withdrawn) The composition according to claim 89, wherein said at least one linking group is an ester group present in a proportion ranging from 20% to 35% of the total number of all ester and amide groups in the at least one polyamide polymer.

91. (Withdrawn) The composition according to claim 84, wherein said at least one terminal fatty chain is functionalized.

92. (Withdrawn) The composition according to claim 84, wherein said at least one pendant fatty chain is functionalized.

93. (Withdrawn) The composition according to claim 84, wherein in said at least one polyamide polymer, the percentage of the total number of fatty chains ranges from 40% to 98% relative to the total number of all amide units and fatty chains in the at least one polyamide polymer.

94. (Withdrawn) The composition according to claim 87, wherein in said at least one polyamide polymer, the percentage of the total number of fatty chains ranges from 50% to 95% relative to the total number of all amide units and fatty chains in the at least one polyamide polymer.

95. (Withdrawn) The composition according to claim 83, wherein said at least one polyamide polymer has a weight-average molecular mass of less than 100,000.


96. (Withdrawn) The composition according to claim 95, wherein said at least one polyamide polymer has a weight-average molecular mass of less than 50,000.

97. (Withdrawn) The composition according to claim 96, wherein said at least one polyamide polymer has a weight-average molecular mass ranging from 1000 to 30,000.

98. (Withdrawn) The composition according to claim 97, wherein said at least one polyamide polymer has a weight-average molecular mass ranging from 2000 to 20,000.

99. (Withdrawn) The composition according to claim 98, wherein said at least one polyamide polymer has a weight-average molecular mass ranging from 2000 to 10,000.

100. (Withdrawn) The composition according to claim 83, wherein said at least one polyamide polymer is chosen from polyamide polymers of formula (I):



in which:

- n is an integer which represents the number of amide units such that the number of ester groups present in said at least one polyamide polymer ranges from 10% to 50% of the total number of all ester groups and all amide groups comprised in said at least one polyamide polymer;

- R^1 , which are identical or different, are each chosen from alkyl groups comprising at least 4 carbon atoms and alkenyl groups comprising at least 4 carbon atoms;

- R^2 , which are identical or different, are each chosen from C_4 to C_{42} hydrocarbon-based groups with the proviso that at least 50% of all R^2 are chosen from C_{30} to C_{42} hydrocarbon-based groups;

- R^3 , which are identical or different, are each chosen from organic groups comprising atoms chosen from carbon atoms, hydrogen atoms, oxygen atoms and nitrogen atoms with the proviso that R^3 comprises at least 2 carbon atoms; and

- R^4 , which are identical or different, are each chosen from hydrogen atoms, C_1 to C_{10} alkyl groups and a direct bond to at least one group chosen from R^3 and another R^4 such that when said at least one group is chosen from another R^4 , the nitrogen atom to which both R^3 and R^4 are bonded forms part of a heterocyclic structure defined in part by R^4 -N- R^3 , with the proviso that at least 50% of all R^4 are chosen from hydrogen atoms.

101. (Withdrawn) The composition according to claim 100, wherein in said formula (I), n is an integer ranging from 1 to 5.

102. (Withdrawn) The composition according to claim 101, wherein in said formula (I), n is an integer ranging from 3 to 5.

103. (Withdrawn) The composition according to claim 100, wherein in said formula (I), said alkyl groups of R^1 and said alkenyl groups of R^1 each independently comprise from 4 to 24 carbon atoms.

104. (Withdrawn) The composition according to claim 103, wherein in said formula (I), R^1 , which are identical or different, are each chosen from C_{12} to C_{22} alkyl groups.

105. (Withdrawn) The composition according to claim 104, wherein in said formula (I), R^1 , which are identical or different, are each chosen from C_{16} to C_{22} alkyl groups.

106. (Withdrawn) The composition according to claim 100, wherein in said formula (I), R^2 , which are identical or different, are each chosen from C_{10} to C_{42} hydrocarbon based groups with the proviso that at least 50% of all R^2 are chosen from C_{30} to C_{42} hydrocarbon based groups.

107. (Withdrawn) The composition according to claim 106, wherein at least 75% of all R^2 , which are identical or different, are chosen from C_{30} to C_{42} hydrocarbon based groups.

108. (Withdrawn) The composition according to claim 100, wherein in said formula (I), R^3 , which can be identical or different, are each chosen from C_2 to C_{36} hydrocarbon-based groups and polyoxyalkylene groups.

109. (Withdrawn) The composition according to claim 108, wherein R^3 , which can be identical or different, are each chosen from C_2 to C_{12} hydrocarbon-based groups.

110. (Withdrawn) The composition according to claim 100, wherein in said formula (I), R^4 , which can be identical or different, are each chosen from hydrogen atoms.

111. (Withdrawn) The composition according to claim 100, wherein said at least one polymer of formula (I) is in the form of a mixture of polymers, wherein said mixture optionally also comprises a compound of formula (I) wherein n is equal to zero.

112. (Withdrawn) The composition according to claim 83, wherein said at least one polyamide polymer is chosen from polymers resulting from at least one polycondensation reaction between at least one dicarboxylic acid comprising at least 32 carbon atoms and at least one amine chosen from diamines comprising at least 2 carbon atoms and triamines comprising at least 2 carbon atoms.

113. (Withdrawn) The composition according to claim 112, wherein said at least one dicarboxylic acid comprises from 32 to 44 carbon atoms and said at least one amine comprises from 2 to 36 carbon atoms.

114. (Withdrawn) The composition according to claim 113, wherein said at least one dicarboxylic acid is chosen from dimers of at least one fatty acid comprising at least 16 carbon atoms.

115. (Withdrawn) The composition according to claim 114, wherein said at least one fatty acid is chosen from oleic acid, linoleic acid and linolenic acid.

116. (Withdrawn) The composition according to claim 112, wherein said at least one amine is chosen from ethylenediamine, hexylenediamine, hexamethylenediamine, phenylenediamine and ethylenetriamine.

117. (Withdrawn) The composition according to claim 83, wherein said at least one polyamide polymer is chosen from polymers comprising at least one terminal carboxylic acid group.

118. (Withdrawn) The composition according to claim 117, wherein said at least one terminal carboxylic acid group is esterified with at least one alcohol chosen from monoalcohols comprising at least 4 carbon atoms.

119. (Withdrawn) The composition according to claim 83, wherein said at least one polyamide polymer is chosen from:

- polymers chosen from mixtures of copolymers derived from monomers of (i) C₃₆ diacids and (ii) ethylenediamine, and having a weight-average molecular mass of about 6000;

- polyamide polymers resulting from the condensation of at least one aliphatic dicarboxylic acid and at least one diamine, the carbonyl and amine groups being condensed via an amide bond; and

- polyamide resins from vegetable sources.

120. (Withdrawn) The composition according to claim 83, wherein said at least one polyamide polymer has a softening point greater than 50°C.

121. (Withdrawn) The composition according to claim 120, wherein said at least one polyamide polymer has a softening point ranging from 65°C to 190°C.

122. (Withdrawn) The composition according to claim 121, wherein said at least one polyamide polymer has a softening point ranging from 70°C to 130°C.

123. (Withdrawn) The composition according to claim 122, wherein said at least one polyamide polymer has a softening point ranging from 80°C to 105°C.

124. (Withdrawn) The composition according to claim 83, wherein said at least one polyamide polymer is present in the composition in an amount ranging from 0.5% to 80% by weight relative to the total weight of the composition.

125. (Withdrawn) The composition according to claim 124, wherein said at least one polyamide polymer is present in the composition in an amount ranging from 2% to 60% by weight relative to the total weight of the composition.

126. (Withdrawn) The composition according to claim 125, wherein said at least one polyamide polymer is present in the composition in an amount ranging from 5% to 40% by weight relative to the total weight of the composition.

127. (Withdrawn) The composition according to claim 83, wherein said composition has a hardness ranging from 30 to 300 g.

128. (Withdrawn) The composition according to claim 127, wherein said composition has a hardness ranging from 30 to 250 g.

129. (Withdrawn) The composition according to claim 128, wherein said composition has a hardness ranging from 30 to 200 g.

130. (Withdrawn) The composition according to claim 83, wherein said at least one liquid fatty phase of the composition comprises at least one oil.

131. (Withdrawn) The composition according to claim 130, wherein said at least one oil is chosen from at least one polar oil and at least one apolar oil.

132. (Withdrawn) The composition according to claim 131, wherein said at least one polar oil is chosen from:

- hydrocarbon-based plant oils with a high content of triglycerides comprising fatty acid esters of glycerol in which the fatty acids comprise chains having from 4 to 24 carbon atoms, said chains optionally being chosen from linear and branched, and saturated and unsaturated chains;

- synthetic oils or esters of formula R_5COOR_6 in which R_5 is chosen from linear and branched fatty acid residues comprising from 1 to 40 carbon atoms and $R_5 + R_6 \geq 10$;

- synthetic ethers containing from 10 to 40 carbon atoms;

- C_8 to C_{26} fatty alcohols; and

- C_8 to C_{26} fatty acids.

133. (Withdrawn) The composition according to claim 131, wherein said at least one apolar oil is chosen from:

- silicone oils chosen from volatile and non-volatile, linear and cyclic polydimethylsiloxanes that are liquid at room temperature;
- polydimethylsiloxanes comprising alkyl or alkoxy groups which are pendant and/or at the end of the silicone chain, the groups each containing from 2 to 24 carbon atoms;
- phenylsilicones; and
- hydrocarbons chosen from linear and branched, volatile and non-volatile hydrocarbons of synthetic and mineral origin.

134. (Withdrawn) The composition according to claim 83, wherein said at least one liquid fatty phase comprises at least one non-volatile oil.

135. (Withdrawn) The composition according to claim 134, wherein said at least one non-volatile oil is chosen from hydrocarbon-based oils of mineral, plant and synthetic origin, synthetic esters and ethers, and silicone oils.

136. (Withdrawn) The composition according to claim 83, wherein said at least one liquid fatty phase is present in an amount ranging from 1% to 99% by weight relative to the total weight of the composition.

137. (Withdrawn) The composition according to claim 136, wherein said at least one liquid fatty phase is present in an amount ranging from 5% to 95.5% by weight relative to the total weight of the composition.

138. (Withdrawn) The composition according to claim 137, wherein said at least one liquid fatty phase is present in an amount ranging from 10% to 80% by weight relative to the total weight of the composition.

139. (Withdrawn) The composition according to claim 138, wherein said at least one liquid fatty phase is present in an amount ranging from 20% to 75% by weight relative to the total weight of the composition.

140. (Withdrawn) The composition according to claim 83, wherein said at least one liquid fatty phase comprises at least one volatile solvent chosen from hydrocarbon-based solvents and silicone solvents optionally comprising alkyl or alkoxy groups that are pendant or at the end of a silicone chain.

141. (Withdrawn) The composition according to claim 140, wherein said at least one volatile solvent is present in an amount up to 95.5% relative to the total weight of the composition.

142. (Withdrawn) The composition according to claim 141, wherein said at least one volatile solvent is present in an amount ranging from 2% to 75% relative to the total weight of the composition.

143. (Withdrawn) The composition according to claim 142, wherein said at least one volatile solvent is present in an amount ranging from 10% to 45% relative to the total weight of the composition.

144. (Withdrawn) The composition according to claim 83, wherein said composition further comprises at least one additional fatty material.

145. (Withdrawn) The composition according to claim 144, wherein said at least one additional fatty material is chosen from gums, fatty materials pasty at ambient temperature, and resins.

146. (Withdrawn) The composition according to claim 83, wherein said at least one film-forming silicone resin is chosen from silsesquioxanes and siloxysilicates.

147. (Withdrawn) The composition according to claim 146, wherein said silsesquioxanes comprise repeating units of $(\text{RSiO}_{3/2})_x$ where X is less than 2000.

148. (Withdrawn) The composition according to claim 147, wherein x is 500 or less.

149. (Withdrawn) The composition according to claim 148, wherein said silsesquioxanes are chosen from polymethylsilsesquioxanes comprising repeating units of formula $(\text{CH}_3\text{SiO}_{3/2})$.

150. (Withdrawn) The composition according to claim 146, wherein said siloxysilicates are chosen from trimethylsiloxysilicates.

151. (Withdrawn) The composition according to claim 150, wherein said trimethylsiloxysilicates comprise repeating units of $[(\text{CH}_3)_3\text{-Si-O}]_x\text{-(SiO}_{4/2})_y$, where x ranges from 50 to 80 and y ranges from 50 to 80.

152. (Withdrawn) The composition according to claim 149, wherein said polymethylsilsesquioxanes comprising repeating units of formula $(\text{CH}_3\text{SiO}_{3/2})$ further comprise up to 1% of polymerized repeating units of formula $(\text{CH}_3)_2\text{SiO}_{2/2}$.

153. (Withdrawn) The composition according to claim 83, wherein the at least one film-forming silicone resin comprises at least two units chosen from M, D, T, and Q and said at least two units satisfy the relationship $R_n\text{SiO}_{(4-n)/2}$ wherein n is a value ranging from 1.0 to 1.50.

154. (Withdrawn) The composition according to claim 153, wherein said at least one film-forming silicone resin is a solid at 25°C.

155. (Withdrawn) The composition according to claim 153, wherein said at least one film-forming silicone resin has a weight average molecular weight ranging from 1000 to 10000 grams/mole.

156. (Withdrawn) The composition according to claim 83, wherein said at least one film-forming silicone resin comprises repeating M units and repeating Q units.

157. (Withdrawn) The composition according to claim 156, wherein the ratio of M units to Q units is 0.7:1.

158. (Withdrawn) The composition according to claim 83, wherein said at least one film-forming silicone resin is present in the composition in an amount ranging from 1% to 10% by weight relative to the total weight of the composition.

159. (Withdrawn) The composition according to claim 83, wherein said composition further comprises at least one additional film-former.

160. (Withdrawn) The composition according to claim 83, wherein the composition is in a form chosen from a fluid anhydrous gel, rigid anhydrous gel, fluid simple emulsion, rigid simple emulsion, fluid multiple emulsion, and rigid multiple emulsion.

161. (Withdrawn) The composition according to claim 83, wherein said composition is a solid.

162. (Withdrawn) The composition according to claim 161, wherein said composition is a solid chosen from molded and poured sticks.

163. (Withdrawn) An anhydrous composition comprising at least one liquid fatty phase which comprises:

(i) at least one structuring polymer comprising:

a polymer skeleton which comprises at least one hydrocarbon-based repeating unit comprising at least one hetero atom; and

(ii) at least one film-forming silicone resin.

164. (Withdrawn) The anhydrous composition according to claim 163, wherein said at least one structuring polymer further comprises at least one of:

at least one terminal fatty chain chosen from alkyl chains and alkenyl chains, wherein said at least one terminal fatty chain is bonded to said polymer skeleton via at least one linking group; and

at least one pendant fatty chain chosen from alkyl chains and alkenyl chains, wherein said at least one pendant fatty chain is bonded to said polymer skeleton via at least one linking group.

165. (Withdrawn) The anhydrous composition according to claim 164, wherein said alkyl chains and said alkenyl chains each comprise at least four carbon atoms.

166. (Withdrawn) The anhydrous composition according to claim 165, wherein said alkyl chains and said alkenyl chains each comprise from 8 to 120 carbon atoms.

167. (Withdrawn) The anhydrous composition according to claim 166, wherein said alkyl chains and said alkenyl chains each comprise from 12 to 68 carbon atoms.

168. (Withdrawn) The anhydrous composition according to claim 164, wherein said at least one linking group is chosen from single bonds and urea, urethane, thiourea, thiourethane, thioether, thioester, ester, ether and amine groups.

169. (Withdrawn) The anhydrous composition according to claim 168, wherein said at least one linking group is an ester group present in a proportion ranging from 15% to 40% of the total number of all ester and hetero atom groups in the at least one structuring polymer.

170. (Withdrawn) The anhydrous composition according to claim 169, wherein said at least one linking group is an ester group present in a proportion ranging from 20% to 35% of the total number of all ester and hetero atom groups in the at least one structuring polymer.

171. (Withdrawn) The anhydrous composition according to claim 164, wherein said at least one terminal fatty chain is functionalized.

172. (Withdrawn) The anhydrous composition according to claim 164, wherein said at least one pendant fatty chain is functionalized.

173. (Withdrawn) The anhydrous composition according to claim 164, wherein in said at least one structuring polymer, the percentage of the total number of fatty chains ranges from 40% to 98% relative to the total number of all repeating units and fatty chains in the at least one structuring polymer.

174. (Withdrawn) The anhydrous composition according to claim 173, wherein in said at least one structuring polymer, the percentage of the total number of fatty chains ranges from 50% to 95% relative to the total number of all repeating units and fatty chains in the at least one structuring polymer.

175. (Withdrawn) The anhydrous composition according to claim 164, wherein said at least one structuring polymer has a weight-average molecular mass of less than 100,000.

176. (Withdrawn) The anhydrous composition according to claim 175, wherein said at least one structuring polymer has a weight-average molecular mass of less than 50,000.

177. (Withdrawn) The anhydrous composition according to claim 176, wherein said at least one structuring polymer has a weight-average molecular mass ranging from 1000 to 30,000.

178. (Withdrawn) The anhydrous composition according to claim 177, wherein said at least one structuring polymer has a weight-average molecular mass ranging from 2000 to 20,000.

179. (Withdrawn) The anhydrous composition according to claim 178, wherein said at least one structuring polymer has a weight-average molecular mass ranging from 2000 to 10,000.

180. (Withdrawn) The anhydrous composition according to claim 179, wherein said at least one hydrocarbon based repeating unit comprises from 2 to 80 carbon atoms.

181. (Withdrawn) The anhydrous composition according to claim 180, wherein said at least one hydrocarbon based repeating unit comprises from 2 to 60 carbon atoms.

182. (Withdrawn) The anhydrous composition according to claim 163, wherein said at least one hydrocarbon based repeating unit is chosen from saturated and

unsaturated hydrocarbon-based units which are chosen from linear hydrocarbon-based repeating units, branched hydrocarbon-based repeating units and cyclic hydrocarbon-based repeating units.

183. (Withdrawn) The anhydrous composition according to claim 163, wherein said at least one hetero atom of said at least one hydrocarbon-based repeating unit is chosen from nitrogen, sulphur, and phosphorus.

184. (Withdrawn) The anhydrous composition according to claim 183, wherein said at least one hetero atom is a nitrogen atom.

185. (Withdrawn) The anhydrous composition according to claim 183, wherein said at least one hetero atom is combined with at least one atom chosen from oxygen and carbon to form a hetero atom group.


186. (Withdrawn) The anhydrous composition according to claim 185, wherein said at least one hetero atom group further comprises a carbonyl group.

187. (Withdrawn) The anhydrous composition according to claim 185, wherein said at least one hetero atom group is chosen from amide groups, carbamate groups, and urea groups.

188. (Withdrawn) The anhydrous composition according to claim 187, wherein said at least one hetero atom group is an amide group and said polymer skeleton is a polyamide skeleton.

189. (Withdrawn) The anhydrous composition according to claim 187, wherein said at least one hetero atom group is chosen from carbamate groups and urea groups and said polymer skeleton is chosen from a polyurethane skeleton, a polyurea skeleton and a polyurethane-polyurea skeleton.

190. (Withdrawn) The anhydrous composition according to claim 163, wherein said at least one structuring polymer is chosen from polyamide polymers of formula (I):



in which:

- n is an integer which represents the number of amide units such that the number of ester groups present in said at least one polyamide polymer ranges from 10% to 50% of the total number of all ester groups and all amide groups comprised in said at least one polyamide polymer;

- R^1 , which are identical or different, are each chosen from alkyl groups comprising at least 4 carbon atoms and alkenyl groups comprising at least 4 carbon atoms;

- R^2 , which are identical or different, are each chosen from C_4 to C_{42} hydrocarbon-based groups with the proviso that at least 50% of all R^2 are chosen from C_{30} to C_{42} hydrocarbon-based groups;

- R^3 , which are identical or different, are each chosen from organic groups comprising atoms chosen from carbon atoms, hydrogen atoms, oxygen atoms and nitrogen atoms with the proviso that R^3 comprises at least 2 carbon atoms; and

- R^4 , which are identical or different, are each chosen from hydrogen atoms, C_1 to C_{10} alkyl groups and a direct bond to at least one group chosen from R^3 and another R^4 such that when said at least one group is chosen from another R^4 , the nitrogen atom to which both R^3 and R^4 are bonded forms part of a heterocyclic structure defined in part by R^4-N-R^3 , with the proviso that at least 50% of all R^4 are chosen from hydrogen atoms.

191. (Withdrawn) The anhydrous composition according to claim 190, wherein in said formula (I), n is an integer ranging from 1 to 5.

192. (Withdrawn) The anhydrous composition according to claim 191, wherein in said formula (I), n is an integer ranging from 3 to 5.

193. (Withdrawn) The anhydrous composition according to claim 190, wherein in said formula (I), said alkyl groups of R^1 and said alkenyl groups of R^1 each independently comprise from 4 to 24 carbon atoms.

194. (Withdrawn) The anhydrous composition according to claim 193, wherein in said formula (I), R^1 , which are identical or different, are each chosen from C_{12} to C_{22} alkyl groups.

195. (Withdrawn) The anhydrous composition according to claim 194, wherein in said formula (I), R^1 , which are identical or different, are each chosen from C_{16} to C_{22} alkyl groups.

196. (Withdrawn) The anhydrous composition according to claim 190, wherein in said formula (I), R^2 , which are identical or different, are each chosen from C_{10} to C_{42} hydrocarbon based groups with the proviso that at least 50% of all R^2 are chosen from C_{30} to C_{42} hydrocarbon based groups.

197. (Withdrawn) The anhydrous composition according to claim 196, wherein at least 75% of all R^2 , which are identical or different, are chosen from C_{30} to C_{42} hydrocarbon based groups.

198. (Withdrawn) The anhydrous composition according to claim 190, wherein in said formula (I), R^3 , which can be identical or different, are each chosen from C_2 to C_{36} hydrocarbon-based groups and polyoxyalkylene groups.

199. (Withdrawn) The anhydrous composition according to claim 198, wherein R^3 , which can be identical or different, are each chosen from C_2 to C_{12} hydrocarbon-based groups.

200. (Withdrawn) The anhydrous composition according to claim 199, wherein in said formula (I), R^4 , which can be identical or different, are each chosen from hydrogen atoms.

201. (Withdrawn) The anhydrous composition according to claim 200, wherein said at least one polymer of formula (I) is in the form of a mixture of polymers, wherein said mixture optionally also comprises a compound of formula (I) wherein n is equal to zero.

202. (Withdrawn) The anhydrous composition according to claim 163, wherein said at least one structuring polymer has a softening point greater than 50°C.

203. (Withdrawn) The anhydrous composition according to claim 202, wherein said at least one structuring polymer has a softening point ranging from 65°C to 190°C.

204. (Withdrawn) The anhydrous composition according to claim 203, wherein said at least one structuring polymer has a softening point ranging from 70°C to 130°C.

205. (Withdrawn) The anhydrous composition according to claim 204, wherein said at least one structuring polymer has a softening point ranging from 80°C to 105°C.

206. (Withdrawn) The anhydrous composition according to claim 163, wherein said at least one structuring polymer is present in the composition in an amount ranging from 0.5% to 80% by weight relative to the total weight of the composition.

207. (Withdrawn) The anhydrous composition according to claim 206, wherein said at least one structuring polymer is present in the composition in an amount ranging from 2% to 60% by weight relative to the total weight of the composition.

208. (Withdrawn) The anhydrous composition according to claim 207, wherein said at least one structuring polymer is present in the composition in an amount ranging from 5% to 40% by weight relative to the total weight of the composition.

209. (Withdrawn) The anhydrous composition according to claim 163, wherein said composition has a hardness ranging from 30 to 300 g.

210. (Withdrawn) The anhydrous composition according to claim 209, wherein said composition has a hardness ranging from 30 to 250 g.

211. (Withdrawn) The anhydrous composition according to claim 210, wherein said composition has a hardness ranging from 30 to 200 g.

212. (Withdrawn) The anhydrous composition according to claim 163 wherein said at least one liquid fatty phase of the composition comprises at least one oil.

213. (Withdrawn) The anhydrous composition according to claim 212, wherein said at least one oil is chosen from at least one polar oil and at least one apolar oil.

214. (Withdrawn) The anhydrous composition according to claim 213, wherein said at least one polar oil is chosen from:

- hydrocarbon-based plant oils with a high content of triglycerides comprising fatty acid esters of glycerol in which the fatty acids comprise chains having from 4 to 24 carbon atoms, said chains optionally being chosen from linear and branched, and saturated and unsaturated chains;

- synthetic oils or esters of formula R_5COOR_6 in which R_5 is chosen from linear and branched fatty acid residues comprising from 1 to 40 carbon atoms and $R_5 + R_6 \geq 10$;

- synthetic ethers containing from 10 to 40 carbon atoms;

- C_8 to C_{26} fatty alcohols; and

- C_8 to C_{26} fatty acids.

215. (Withdrawn) The anhydrous composition according to claim 213, wherein said at least one apolar oil is chosen from:

- silicone oils chosen from volatile and non-volatile, linear and cyclic polydimethylsiloxanes that are liquid at room temperature;
- polydimethylsiloxanes comprising alkyl or alkoxy groups which are pendant and/or at the end of the silicone chain, the groups each containing from 2 to 24 carbon atoms;
- phenylsilicones; and
- hydrocarbons chosen from linear and branched, volatile and non-volatile hydrocarbons of synthetic and mineral origin.

216. (Withdrawn) The anhydrous composition according to claim 163, wherein said at least one liquid fatty phase comprises at least one non-volatile oil.

217. (Withdrawn) The anhydrous composition according to claim 216, wherein said at least one non-volatile oil is chosen from hydrocarbon-based oils of mineral, plant and synthetic origin, synthetic esters and ethers, and silicone oils.

218. (Withdrawn) The anhydrous composition according to claim 163, wherein said at least one liquid fatty phase is present in an amount ranging from 1% to 99% by weight relative to the total weight of the composition.

219. (Withdrawn) The anhydrous composition according to claim 218, wherein said at least one liquid fatty phase is present in an amount ranging from 5% to 95.5% by weight relative to the total weight of the composition.

220. (Withdrawn) The anhydrous composition according to claim 219, wherein said at least one liquid fatty phase is present in an amount ranging from 10% to 80% by weight relative to the total weight of the composition.

221. (Withdrawn) The anhydrous composition according to claim 220, wherein said at least one liquid fatty phase is present in an amount ranging from 20% to 75% by weight relative to the total weight of the composition.

222. (Withdrawn) The anhydrous composition according to claim 163, wherein said at least one liquid fatty phase comprises at least one volatile solvent chosen from hydrocarbon-based solvents and silicone solvents optionally comprising alkyl or alkoxy groups that are pendant or at the end of a silicone chain.

223. (Withdrawn) The anhydrous composition according to claim 222, wherein said at least one volatile solvent is present in an amount up to 95.5% relative to the total weight of the composition.

224. (Withdrawn) The anhydrous composition according to claim 223, wherein said at least one volatile solvent is present in an amount ranging from 2% to 75% relative to the total weight of the composition.

225. (Withdrawn) The anhydrous composition according to claim 224, wherein said at least one volatile solvent is present in an amount ranging from 10% to 45% relative to the total weight of the composition.

226. (Withdrawn) The anhydrous composition according to claim 163, wherein said composition further comprises at least one additional fatty material.

227. (Withdrawn) The anhydrous composition according to claim 226, wherein said at least one additional fatty material is chosen from gums, fatty materials pasty at ambient temperature, and resins.

228. (Withdrawn) The anhydrous composition according to claim 163, wherein said at least one film-forming silicone resin is chosen from silsesquioxanes and siloxysilicates.

229. (Withdrawn) The anhydrous composition according to claim 228, wherein said silsesquioxanes comprise repeating units of $(\text{RSiO}_{3/2})_x$ where X is less than 2000.

230. (Withdrawn) The anhydrous composition according to claim 229, wherein x is 500 or less.

231. (Withdrawn) The anhydrous composition according to claim 228, wherein said silsesquioxanes are chosen from polymethylsilsesquioxanes comprising repeating units of formula $(\text{CH}_3\text{SiO}_{3/2})$.

232. (Withdrawn) The anhydrous composition according to claim 228, wherein said siloxysilicates are chosen from trimethylsiloxysilicates.

233. (Withdrawn) The anhydrous composition according to claim 232, wherein said trimethylsiloxysilicates comprise repeating units of $[(\text{CH}_3)_3\text{-Si-O}]_x\text{-(SiO}_{4/2})_y$, where x ranges from 50 to 80 and y ranges from 50 to 80.

234. (Withdrawn) The anhydrous composition according to claim 231, wherein said polymethylsilsesquioxanes comprising repeating units of formula $(\text{CH}_3\text{SiO}_{3/2})$ further comprise up to 1% of polymerized repeating units of formula $(\text{CH}_3)_2\text{SiO}_{2/2}$.

235. (Withdrawn) The anhydrous composition according to claim 163, wherein the at least one film-forming silicone resin comprises at least two units chosen from M, D, T, and Q and said at least two units satisfy the relationship $\text{R}_n\text{SiO}_{(4-n)/2}$ wherein n is a value ranging from 1.0 to 1.50.

236. (Withdrawn) The anhydrous composition according to claim 235, wherein said at least one film-forming silicone resin is a solid at 25°C.

237. (Withdrawn) The anhydrous composition according to claim 235, wherein said at least one film-forming silicone resin has a weight average molecular weight ranging from 1000 to 10000 grams/mole.

238. (Withdrawn) The anhydrous composition according to claim 163, wherein said at least one film-forming silicone resin comprises repeating M units and repeating Q units.

239. (Withdrawn) The anhydrous composition according to claim 238, wherein the ratio of M units to Q units is 0.7:1.

240. (Withdrawn) The anhydrous composition according to claim 163, wherein said at least one film-forming silicone resin is present in the composition in an amount ranging from 1% to 10% by weight relative to the total weight of the composition.

241. (Withdrawn) The anhydrous composition according to claim 163, wherein said composition further comprises at least one additional film-former.

242. (Withdrawn) The anhydrous composition according to claim 163, wherein the composition is in a form chosen from a fluid anhydrous gel, rigid anhydrous gel, fluid simple emulsion, rigid simple emulsion, fluid multiple emulsion, and rigid multiple emulsion.

243. (Withdrawn) The anhydrous composition according to claim 163, wherein said composition is a solid.

244. (Withdrawn) The anhydrous composition according to claim 243, wherein said composition is a solid chosen from molded and poured sticks.

245. (Original) A foundation, mascara, eye liner, concealer, lipstick, blush for cheeks or eyelids, body makeup, sun screen, deodorant, colorant for skin or hair, skin care formula, shampoo, after shampoo treatment, or makeup removing product comprising:

at least one liquid fatty phase in said foundation, mascara, eye liner, concealer, lipstick, blush for cheeks or eyelids, body makeup, sun screen, deodorant, colorant for skin or hair, skin care formula, shampoo, after shampoo treatment, or makeup removing product which comprises:

(i) at least one structuring polymer comprising:

a polymer skeleton which comprises at least one hydrocarbon-based repeating unit comprising at least one hetero atom; and

(ii) at least one film-forming silicone resin.

246. (Original) The composition according to claim 245, wherein said composition is a solid.

247. (Original) A make-up and/or care and/or treatment composition for keratinous fibers comprising:

at least one liquid fatty phase in said composition which comprises:

(i) at least one structuring polymer comprising:

a polymer skeleton which comprises at least one hydrocarbon-based repeating unit comprising at least one hetero atom; and

(ii) at least one film-forming silicone resin.

248. (Withdrawn) A lipstick composition in stick form comprising at least one continuous liquid fatty phase, at least one film-forming silicone resin, and at least one non-waxy structuring polymer having a weight-average molecular mass of less than 100,000 in said lipstick, said continuous liquid fatty phase, said at least one film-forming resin and said at least one non-waxy structuring polymer being present in said lipstick composition.

249. (Withdrawn) A treatment, care or make-up composition for keratinous fibers

comprising a structured composition containing at least one liquid fatty phase in said treatment, care or make-up composition structured with at least one structuring

polymer comprising a polymer skeleton comprising at least one hydrocarbon-based repeating unit comprising at least one hetero atom, at least one film-forming silicone resin, and at least one coloring agent.

250. (Withdrawn) A structured composition comprising at least one liquid fatty phase structured with at least one structuring polymer comprising a polymer skeleton comprising at least one hydrocarbon-based repeating unit comprising at least one hetero atom, wherein the at least one structuring polymer further comprises at least one terminal fatty chain, optionally functionalized, chosen from alkyl chains and alkenyl chains, wherein said at least one terminal fatty chain is bonded to said polymer skeleton via at least one linking group chosen from amides, ureas, and esters, wherein when said at least one linking group is chosen from esters, said at least one terminal fatty chain is chosen from branched alkyl groups and at least one film-forming silicone resin.

251. (Withdrawn) A composition according to claim 250, wherein said at least one structuring polymer may also comprise at least one pendant fatty chain, optionally functionalized, chosen from alkyl chains and alkenyl chains, wherein said at least one pendant fatty chain is bonded to said polymer skeleton via bonded to any carbon or hetero atom of the polymer skeleton via at least one linking group chosen from amides, ureas, and esters, wherein when said at least one linking group is chosen from esters, said at least one pendant fatty chain is chosen from branched alkyl groups.

252. (Withdrawn) A structured composition comprising at least one liquid fatty phase structured with at least one structuring polymer comprising a polymer skeleton comprising at least one hydrocarbon-based repeating unit comprising at least one hetero atom, wherein the at least one structuring polymer further comprises at least one pendant fatty chain, optionally functionalized, chosen from alkyl chains and alkenyl chains, wherein said at least one pendant fatty chain is bonded to said polymer skeleton via at least one linking group chosen from amides, ureas, and esters, wherein when said at least one linking group is chosen from esters, said at least one pendant fatty chain is chosen from branched alkyl groups and at least one film-forming silicone resin.

253. (Original) A method for care, make up, or treatment of a keratin material chosen from lips, skin, and keratinous fibers, comprising the application to said keratin material of a cosmetic composition comprising:

at least one liquid fatty phase which comprises:

(i) at least one structuring polymer comprising:

a polymer skeleton which comprises at least one hydrocarbon-based repeating unit comprising at least one hetero atom; and

(ii) at least one film-forming silicone resin.

254. (Original) A method for making a cosmetic composition in the form of a physiologically acceptable composition comprising including in said composition

at least one liquid fatty phase which comprises:

(i) at least one structuring polymer comprising:

a polymer skeleton which comprises at least one hydrocarbon-based repeating unit comprising at least one hetero atom; and

(ii) at least one film-forming silicone resin.

255. (Withdrawn) A method for making a transfer-resistant composition comprising combining:

(i) at least one structuring polymer comprising:

a polymer skeleton which comprises at least one hydrocarbon-based repeating unit comprising at least one hetero atom; and

(ii) at least one film-forming silicone resin,

wherein said at least one film-forming silicon resin and said at least one structuring polymer are present in an amount effective to provide transfer resistant properties.

256. (Withdrawn) A composition comprising at least one liquid fatty phase which comprises:

(i) at least one structuring polymer comprising:

a polymer skeleton which comprises at least one hydrocarbon-based repeating unit comprising at least one hetero atom; and at least one terminal fatty chain chosen from alkyl chains and alkenyl chains, wherein said at least one terminal fatty chain is bonded to said polymer skeleton via at least one linking group; and

(ii) at least one film-forming silicone resin.

257. (Withdrawn) A composition comprising at least one liquid fatty phase which comprises:

(i) at least one structuring polymer comprising
a polymer skeleton which comprises at least one hydrocarbon-based
repeating unit comprising at least one hetero atom with the proviso that said at least one
hetero atom is not nitrogen; and

(ii) at least one film-forming silicone resin.

258. (Withdrawn) A deodorant product or a care product for the skin or body
comprising an anhydrous composition comprising at least one liquid fatty phase in said
product which comprises:

(i) at least one structuring polymer comprising:

a polymer skeleton which comprises at least one hydrocarbon-based
repeating unit comprising at least one hetero atom; and

(ii) at least one film-forming silicone resin.

259. (Withdrawn) The composition according to claim 6, wherein said at least
one linking group is chosen from urea, ester, and amine groups.

260. (Withdrawn) The composition according to claim 259, wherein said at
least one linking group is chosen from ester and amine groups.

261. (Withdrawn) The composition according to claim 88, wherein said at least
one linking group is chosen from urea, ester, and amine groups.

262. (Withdrawn) The composition according to claim 261, wherein said at
least one linking group is chosen from ester and amine groups.

263. (Withdrawn) The anhydrous composition according to claim 168, wherein
said at least one linking group is chosen from urea, ester, and amine groups.

264. (Withdrawn) The composition according to claim 263, wherein said at
least one linking group is chosen from ester and amine groups.

265. (Withdrawn) An anhydrous composition comprising at least one liquid
fatty phase which comprises:

(i) at least one structuring polymer comprising:

a polymer skeleton which comprises at least three hydrocarbon-based
repeating units comprising at least one hetero atom; and

(ii) at least one film-forming silicone resin.

266. (Withdrawn) An anhydrous composition according to claim 265, wherein said at least three hydrocarbon-based repeating units are identical.

267. (Withdrawn) A composition comprising at least one liquid fatty phase which comprises:

(i) at least one structuring polymer comprising: a polymer skeleton which comprises a) at least one hydrocarbon-based repeating unit comprising at least one hetero atom and b) at least one of:

- at least one terminal fatty chain, optionally functionalized, chosen from alkyl chains and alkenyl chains, wherein said at least one terminal fatty chain is bonded to said polymer skeleton via at least one linking group; and

- at least one pendant fatty chain, optionally functionalized, chosen from alkyl chains and alkenyl chains, wherein said at least one pendant fatty chain is bonded to said polymer skeleton via at least one linking group; and

(ii) at least one film-forming silicone resin.